

CITY OF CHARLOTTE

NEIGHBORHOOD & BUSINESS SERVICES

Invitation to Bid

NOTE: Contractors are not authorized to visit the property before or after the bid walk, without being accompanied by the City's Rehabilitation Specialist.

Documents included in Package:

- 1) Instruction to Bidders
- 2) Specs by Location/Trade (Scope of Work)
- 3) Subcontractor Certifications (if applicable)
- 4) Floor Plan / Site Drawing (if applicable)

HN.	S 10)	5	
-----	------	---	---	--

Bid Walk & Bid Opening:

Project Address: 4062 Whitehall Dr. Call project manager for full address	SAFE HOME CHARLOTTE LEADSAFE CHARLOTTE
Bid Walk: 4/11/19 at 10:00 am	
Bid Opening: 4/18/19 at 2:00 pm	
Client Name: Hazeline Govan	Contact Number:
Project Manager: Chuck Hitsman	Contact Number: 704-336 3495

Bid Walk and Bidding Instructions:

All bid walks are mandatory.

If you are going to be late the policy is the following:

Contact me BEFORE the start time if you are going to be late. If you are going to be more than 10 minutes late, we will proceed without you and you will not be permitted to bid.

The day of a bid walk the best way to reach me is at <u>Charles Hitsman</u>(cell # 704-622 1685).

Bids must be received by the date, time and place specified. All others will be considered non responsive and disqualified.

The Bids will be opened at 600 East Trade St. immediately following the

G:\SELECTIVE REHAB TEAM\forms\bid forms and documents\invitation to bid WARREN



CITY OF CHARLOTTE

NEIGHBORHOOD & BUSINESS SERVICES

above due date and time.

Company Ackno	wledgement:			
provisions of the funded through fully inspected the time stated at any and all labor the advised response.	e housing improventhe City of Charlone site in all particuend in strict accordand materials, and ective contractual,	rement work to be persotte Neighborhood & lars, hereby proposes an ance with the proposed of to do all work required for the sum of money a lequipment necessary to be a lequipment necessary	for the completion of the Work s	e ving ithin ing of with
Millontol			Dollars (\$	
Written total				
Specs Dated:	03/26/2019	Number of Pages:	5	
Addenda # 1 Dat	ed:	Number of Pages:		
Addenda # 2 Dat	ed:	Number of Pages:		
Project Start Dat	e:			
Completion Dea	dline:			
Please Print and	Sign:			The second secon
Company Name/	Firm:			
Authorized Repre	esentative Name:			
Signature:			Date:	



CITY OF CHARLOTTE

NEIGHBORHOOD & BUSINESS SERVICES

Requirements For Bidders

The City awards rehabilitation bids to the lowest responsive and responsible bidder. A responsible bidder for the safe home program is one who:

- 1) Is a licensed general contractor in the State of North Carolina;
- 2) Has an Renovate, Repair & Paint Certification (http://www2.epa.gov/lead/renovation-repair-and-painting-program);
- 3) Is not listed on a local, state or federal debarment list;
- 4) Carries an appropriate amounts of insurance;
- 5) Can provide references verifying the contractor has completed work of a similar scope in a good workmanship like manner or successfully completed prior work for the Safe Home program. Referenced work must have been completed in one year or less from date of this invitation to bid.

A responsive bidder must:

- 1) Submit all requested documentation on time;
- 2) Meet the above requirements for responsibility at the time of bid submittal;
- 3) Have the capacity to meet the required schedule for the project.
- 4) Existing rehab projects contracted by the contractor must be on schedule.

The City reserves the right to waive any minor informalities or irregularities, which do not go to the heart of the bid submittal or prejudice other offers, or to reject, for good and compelling reasons, any or all bid submittals.

Charles Hitsman
Rehabilitation Specialist
City of Charlotte
Neighborhood and Business Services
600 E. Trade St.
Charlotte, NC 29202

PH: (704) 336 3495 Fax: (704) 336-3489



CITY OF CHARLOTTE

NEIGHBORHOOD & BUSINESS SERVICES

Instructions to Bidders

Explanations to Bidders

Any explanation desired by a Contractor regarding the meaning or interpretation of the advertisement for bids, drawings, specifications, etc., must be requested in writing to the Rehabilitation Specialist with sufficient time allowed for a reply to each Contractor before the submission of their bids. Any interpretation made will be in the form of an addendum to the invitation for bids, drawings, specifications, etc., and will be furnished to all prospective Contractors. The Contractor must acknowledge any revision to the bid documents in the space provided on the bid form and it must be submitted with their bid package.

Preparation of Bids

Bids shall be submitted on the forms furnished, or copies thereof, and must be manually signed. If erasures or other changes appear on the forms, the person signing the bids must initial each erasure or change

- The Contractor's Bid Proposal must be properly executed and submitted on the form provided. Bids by Contractors must be received by the Rehabilitation Specialist at the time and place specified on the "Invitation to Bid"
- No bid will be considered unless all individual work items on the Bid Form including any addendums are priced. The sum of all work items must equal to the Total Bid Amount.
- Unless called for, alternate bids will not be considered
- Modification of bids already submitted will be considered if received at the office designated in the invitation for bids by the time set for opening of bids

Submittal of Bids

- Sealed bids will be submitted to the Safe Home Program Office as directed in the invitation to bid prior to or at the appointed bid opening time
- Bid will be time stamped on the date of delivery
- Each bid must be submitted in a sealed envelope bearing on the outside the name of the Contractor, the name of the project for which the bid is submitted, and the date and time of the bid opening
- All bids submitted must be typed or written in ink and signed by the Contractor's designated representative



CITY OF CHARLOTTE

NEIGHBORHOOD & BUSINESS SERVICES

- Failure to include all forms may result in rejection of a bid
- Required Bid Package Forms:
 - o Scope of Work
 - o Addenda Acknowledgement
 - o Itemized Work Sheet
 - Subcontractor Certifications (if applicable)

NEIGHBORHOOD & BUSINESS SERVICES

http://housing.charlottenc.gov | 600 E. Trade Street | Charlotte, NC

Prepared By:
City of Charlotte Housing & Neighborhood Services
600 E. Trade Street
Charlotte, NC 28202
(704) 336-7600

Property Details	A STATE OF THE STA			A A A Section 1		
Address:	4062 Whitehall Dr.	Owner	: Н	azeline Govan		
	Charlotte, NC 28208	Owner	Phone: H	ome:		
Structure Type:	Single Unit	Progra	m(s): To	ested- HAS LEA	D	
Square Feet:	1040			LeadSafe 2016 Healthy Homes LBP 2016 SHFY19 Pre-Approved		
Year Built:	1955					
Property Value:	77800		S	H2019 Eligible		
Tax Parcel:	06110624					
Census Tract:						
Property Zone:	Council District 3					
	• • • • • • • • • • • • • • • • • • • •	er pro-				
Description Portable Toilet Provide temporary to	oilet facilities from job start until appr	Bid Cost:			=Tota	Exterio
Portable Toilet Provide temporary to		Bid Cost:	es. X Base	Quantity	a marine a marine de la companya de	I Cost
Portable Toilet Provide temporary to		Bid Cost:	es. X Base - ermits shall	Quantity include all items	a marine a marine de la companya de	I Cost
Portable Toilet Provide temporary to		Bid Cost:l I permits required. Said p	es. X Base - ermits shall	Quantity	s in this scope	I Cost
Portable Toilet Provide temporary to	sponsible obtaining and paying for al	Bid Cost:l I permits required. Said p	es. X Base Permits shall	Quantity include all items	s in this scope	I Cost
Portable Toilet Provide temporary to Permits Required The contractor is res See Attached Lead All work shall be per will be obtained as a	sponsible obtaining and paying for al	Bid Cost:	es. X Base Permits shall X Base eet all appli	Quantity include all items Quantity cable building co	Tota	I Cost I Cost
Portable Toilet Provide temporary to Permits Required The contractor is res See Attached Lead All work shall be per will be obtained as a	sponsible obtaining and paying for al Scope formed in accordance with applicable appropriate. Mecklenburg County req	Bid Cost:	es. X Base Permits shall X Base eet all appli	Quantity include all items Quantity cable building cord Reduction if the	Tota	e of work. I Cost

Dumpster

After procuring all required permits, place AS MANY roll-off dumpsters as needed without damaging the site. Collect construction debris using dust control methods. Remove dumpster and repair any evidence of the dumpsters use. Contractor may haul debris away daily using dump trailers.

	Bid Cost:		_X	
		Base	Quantity	Total Cost
Tear Off & Reroof Shingles	and a second sec	,		
Remove and dispose of existing roofing, inspect and repart new 30 year architectural shingles. Include ice and water and all necessary accessories. Cut all tree/bush branches touching roof, painted or coll state.	shield at all roof edg	es, felt paper	r, shingle over ride	ge vent, boots, flashing
	Bid Cost:		x	=
		Base	Quantity	Total Cost
Double Bowl Sink Complete - Kithcen	Taken 154 'Maleuman 1886 Er årstemen med årmen med afterne skare		A CONTRACTOR OF THE PROPERTY O	. , , , , , , , , , , , , , , , , , , ,
Install a 18 gauge 33" x 22" x 8" double bowl, stainless strated at 2.0 GPM or less, with a 15 year drip- free warrange on all supply & drain lines. No copper compression fitting	nty, P-trap, supply lin	hen sink incli es, full port b	uding a single har all type shut-off v	ndle metal body faucet, alves & escutcheon plate
	Bid Cost:		v	=
	Dia Cost		_^	
	Bid Cost	Base	Quantity	Total Cost
Counter Tops Replace				Total Cost
Counter Tops Replace Screw to base cabinet a square edged plastic laminate c adjoining walls with low VOC caulking to match wall color	ounter top. Provide	Base end-caps and	Quantity	nde ege Piran et sam mysterinde ett midde til dittattatatat at blive ende ett skrivetiste ett ett ett. E
Screw to base cabinet a square edged plastic laminate c	ounter top. Provide	Base end-caps and in-stock colo	Quantity	ada kan Pirang sa mada ada ada ada da da da da da da da da
Screw to base cabinet a square edged plastic laminate c	ounter top. Provide er. Owner's choice of	Base end-caps and in-stock colo	Quantity I cutout for sink. or and texture.	nda egy Pirac V sa - yadi, yada 4° yada Nadiilikkiidada alilah, eshik ah dadiilikada arhad ah N
Screw to base cabinet a square edged plastic laminate c adjoining walls with low VOC caulking to match wall color	ounter top. Provide er. Owner's choice of	Base end-caps and in-stock colo	Quantity I cutout for sink. r and texture.	Caulk counter top to
Screw to base cabinet a square edged plastic laminate c	ounter top. Provide er. Owner's choice of	Base end-caps and in-stock colo Base	Quantity I cutout for sink. I cu	Caulk counter top to
Screw to base cabinet a square edged plastic laminate c adjoining walls with low VOC caulking to match wall color Cabinets Base Replace base cabinets. Cabinets to be constructed of so	ounter top. Provide er. Owner's choice of	Base end-caps and in-stock colo Base	Quantity I cutout for sink. I cu	Caulk counter top to
Screw to base cabinet a square edged plastic laminate c adjoining walls with low VOC caulking to match wall color cabinets Base Replace base cabinets. Cabinets to be constructed of so	ounter top. Provide er. Owner's choice of	Base end-caps and in-stock colo Base	Quantity I cutout for sink. I cu	Caulk counter top to

Cabinets Wall

Replace wall cabinets. Cabinets are to be constructed of solid maple and plywood. No particle board allowed. See contractor's manual guidelines & specifications for full requirements.

All ceiling blemishes from old cabinets & trim will be repaired and ceiling painted.

	D110 - 4		v	
	Bid Cost:	Base	X Quantity	Total Cost
GFCI Receptacle 20 AMP - Kitchen	A hadronism to 24 x 22 relation 3 results made (think, other	ng. Ba Man fiy sakatsanama 19 saan 19 or 18 ba	and the second of the second of the beneather	الديانية والمستقبل والمراجع المراجعة المراجعة المراجعة والمستقبل والمراجعة والمستقبل
Prepare Kitchen, bath & to meet Code. Install a flush mounted, ground fault circuit interrupted, duplex	र receptacle and	cover plate.	Fish wire and rep	air all tear out as needed.
	Bid Cost:		_X	=
		Base	Quantity	Total Cost
Floor System Repair - Kitchen	i diama attivi (1800 y ett på 1800 pri 1800 pri ptil att y etterativ (p. 1800 ett).	MENAL CORPORAL AND MANUSCH	and the second of the second s	Ann transfer Sping and angeline man Collection and and trade grantee state of
Remove all fixtures not built in. Dispose of damaged/unsafe of joists hung 16" on center, plywood or tongue and groove subfor and insulating floor to code.	components of fl loor. Include rep	oor assembl lacing all de	y. Work may incluteriorated band joi	ude installation of 2"x 8" ists , plates, wall studs
	Bid Cost:		x	==
		Base	Quantity	Total Cost
Remove or cover hardware and accessories not to be painted fungus, dirt, and dust from surfaces. Fill holes and cracks. Priwith owner's choice of low VOC acrylic SEMI-GLOSS latex. Funcover hardware, fixtures and accessories. Any moving of fu	me all new mate Painting shall inc	rials and spo lude walls &	ot prime existing w ceiling and any a	vith acrylic latex. Top coat
	Bid Cost:		х	=
		Base	Quantity	Total Cost
Combination CO / Smoke Detector Hard Wired	مرافسية درافيه ووافاني		PS P APS - E - SEL SA THE LEGES - PP PS	angan ng menangangan berata ng at terbesah di di
Install a hard wired combination carbon monoxide and smoke	detector with ba	attery back u	р.	
	Bid Cost:		X	=
	Bid 003t	Base	Quantity	Total Cost
	esponent forces and pressure in a	of the section of the	is an income that word special the or to	Section of a state to till on the process Assessment to a filter to be processed.
Electric Service 200 AMP				
Harris Anna Carlotte and Carlot	it, 110/220 volt, i all sub-panels. 0	24 circuit par Caulk exterio	nel board, meter s or service penetrat	ocket, weather head, tion.
Electric Service 200 AMP Replace electrical service with new 200 amp, main disconnec	st, 110/220 volt, 2 all sub-panels. (Bid Cost:	Caulk exterio	or service penetrat	ocket, weather head, tion.

40 Gallon Gas Water Heater

Remove existing water heater and all obsolete or deteriorated flue piping and gas line and dispose of properly.

Install an insulated 40 gallon, glass lined, high recovery gas water heater with a 10 year warranty and an Energy Factor of .61 or greater.

Installation includes PRV valve and extension, drain pan with drain to the exterior, expansion tank, and new gas line and flue piping through the roof as necessary to meet the requirements of the Construction Specifications and Code.

	Bid Cost:	x_	print total	
		Base	Quantity	Total Cost
Demo and Rebuild Bathroom - Complete	and the state of the sea of the season of	n dagan hali gantifigadin perumpuni ^a n unum husbu abu	- mangdom Common To be 181 as and 4 8 M. years dynamical has	
Completely demo the existing bathroom. Remove all plumbing coverings to the framing. Repair or replace all framing as nece the Building Code. Include tempered glass window per Meckle	ssary to meet tl	ne requirements	of the Construction	g, wall, and floor on Specifications and
Rebuild the bathroom complete with all the following features: *floor, wall, and ceiling insulation at locations required by the C *ceiling mounted fan vented through the roof *switched light fixture over the vanity *GFCI outlet per Code	onstruction Spe	cifications		
*Remove tub surround and tub. Replace tub with a white fiberg to 5 ft height. Include a grab bar on 2-side and window walls *drywall and finish walls and ceiling *25 yr resiliant flooring over 1/4" underlayment *Install tub shower head, diverter, temerature control valve and	,	e white ceramic	tile to cover tub si	de and window walls
*baseboard and shoe mold at standard locations *1.6 gpf or less, 16.5 inch tall commode *24" vanity with cultured marble top and single handle faucet *3 piece bath hardware set (towel bar, paper holder, and towel	ring)			
*mirror over vanity *walls and ceiling painted semi-gloss per Construction Specific	ations.			
All materials and construction methods shall meet the requirem	ents of the rele	vant Constructio	n Specifications a	and the NC Codes.
	Bid Cost:	X_	=_	
		Base	Quantity	Total Cost
Folding Attic Stairs - Hallway				
Replace utility folding stairway, after doubling framing at ceiling paint entire ceiling white.	. Install casing	to match trim in	room. Repair any	drywall issues and
	Did Coots	x	=	

Base

Quantity

Prep and Paint Porch Rails

- 1. Prep and paint the porch railings/ handrails per the Construction Standards. Re-anchor any loose assembly.
- 2. Prep and paint front porch deck.

	Bid Cost:	-	x	
		Base	Quantity	Total Cost
Gas Furnace Replacement	eronice and it is diffice to the desiration in the constitution of	ikt uphioniski Pilor bouitti. kultuori titk	gyment arake. Symfi televitytytytytytyty ar fy til te	T, D, T, JAMES CO. T.
Install a gas fired, forced air furnace with minimum AFUE ignition. Include programmable thermostat, flue pipe and Manual J calculations. Dispose of old furnace appropriate	shut- off valve, Size	er to existing property furnace per h	olenum and gas neat loss analysis	line with electronic s. Contractor to furnish
	Bid Cost:		x	=
Andreas Management (Angles Angles Angles and Angles as the Samuel and a common description of the special and a second and		Base	Quantity	Total Cost
Landscape Timber Installation - Front	A American and Second address (Marie 1944		444	
Replace existing landscape timber flower beds in front or within 36 " of foundation. Spread a 2 inch base of red mu Replace 7, 3 gal. ornimental shrubs, 3 separate species count daffodil bulbs bags.	ılch			
Count danodii buibs bags.				
court danodii bubs bags.	Bid Cost:		х	<u></u>
	Bid Cost:	Base	XQuantity	=Total Cost
	Bid Cost:		XQuantity	= Total Cost
Install Handrails - Rear Steps	Bid Cost:		X Quantity	= Total Cost
Install Handrails - Rear Steps Install Code approved handrail at rear steps.	Bid Cost:		X Quantity X	Total Cost
Install Handrails - Rear Steps Install Code approved handrail at rear steps. Use treated Lumber.			X Quantity X Quantity	Total Cost Total Cost
Install Handrails - Rear Steps Install Code approved handrail at rear steps.		Base	X	
Install Handrails - Rear Steps Install Code approved handrail at rear steps. Use treated Lumber.	Bid Cost:	Base Base	Quantity	= Total Cost
Install Handrails - Rear Steps Install Code approved handrail at rear steps. Use treated Lumber. Ceiling Fan with Light Kit - Kitchen Install a 42" 3 speed flush mounted ceiling fan with a mir	Bid Cost:	Base Deproved, LED	Quantity	= Total Cost

Air Conditioner Replace

Install new Energy Star Rated 14 SEER or higher air conditioner compatible with the indoor unit per the manufacturer's recommendations. Support unit on a level concrete pad with a minimum of 3' clearance around coil. Re-insulate bare areas of refrigerant piping. Properly dispose of existing unit.

	Bid Cost:	Х	=	
			Quantity	Total Cost
Kitchen	and and the statement of the statement o	ntranskij Parkamas protesjikaren 16. sept. eta esta eta 1	نستنو فكمنه فسلطون والماله وال	2007 - referentieren ha per an manuskur van hans 'infebruik's Yn 1991 - Aub
Install 25 year warrantied resilient floor covering quarter-round at all perimeters to complete instal		Include transit	ions and painte	d or stained wood
	Bid Cost:	x	=	
	Ва	se	Quantity	Total Cost
Remove all existing water supply lines. Install new				
Remove all existing water supply lines. Install new Insulate exposed hot and cold water lines, installed	ed to code. Repair any wall or ceil	ing tear out re	quired to instal	l system.
	ed to code. Repair any wall or ceil Bid Cost:	ing tear out re	quired to instal	l system.
	ed to code. Repair any wall or ceil Bid Cost: Ba	ing tear out re X	equired to instal	l system. Total Cost
Insulate exposed hot and cold water lines, installe	ed to code. Repair any wall or ceil Bid Cost: Ba	ing tear out re X	equired to instal	l system. Total Cost

Lead Based Paint Scope & INSTRUCTIONS TO BIDDERS

Address

Complete the following scope of work:

4062 Whitehall Dr.

Total

	Cost P. COST
Enclose: Enclose Lead-based paint coated exterior components with a material that is Exterior- C Side Porch structurally affixed and deemed to last a minimum of 20 years.	·
Stabilize: Interim control measures such as a general cleaning by wet wiping and HEPA 2 Screen Door Frame vacuum, then re-painting should be performed.	
Interior / Exterior - General Interior / exterior floor cleaning for general	
3 floor cleaning clearance	
4	
5	
6 .	
7	
8	
9	
10	
11	1
12	
13	
14	•
15	•
16	
17	
18	
19	
20	

Contractors may submit an occupant protection plan on the form provided.

- 1 Contact Jim Roy to conduct inspections prior to repainting or other putback and Complete all interior work in a unit in a single day.
- 2 Allow for replacement of 50 board feet of rotted wood.
- 3 Unless otherwise noted any window or door removal and replacement
- 4 includes frame and trim on both sides.
 In lieu of complete removal, window frames may be enclosed with vinyl on
- 5 exterior in accordance with all project manual requirements
- 6 Contact Lars Aamoth to conduct inspections prior to repainting or other putback and after vinyl siding installation.

Windows being placed in a bathroom need to be tempered glass.

Total Bid

Acknowledgement of Addenda (if any):

Addendum#	
	Date

The undersigned contractor agrees to perform the scope of work for the indicated fee in accordance with applicable regulations and the project manual. The undersigned also certifies that the work will be completed within 60 days of award.

Signature of authorized contractor representative


Contractor	Submitting	Bid:
------------	------------	------

Address:

Start date:

Completion date:

Phone:



B Side